

**To:** Guria, Peter[Guria.Peter@epa.gov]  
**From:** Lee, Barbara  
**Sent:** Tue 8/11/2015 7:36:27 PM  
**Subject:** FW: Provisional Satellite Phone Rate for the Gold King Mine ER, TO 9019-011  
[ERRS4R9-0158.pdf](#)

What do you think? Should we approve a rate for sat phones? At the rate they're proposing, wouldn't it be cheaper to get some kind of sat connection for the ICP and area? Is there such a thing?

---

Barbara Lee  
US EPA, Region IX  
Emergency Response, Planning, and Prevention

Lee.barbara@epa.gov  
Office (415) 972-3195

Fax (415) 947-3518

**From:** Laurie Palmer [mailto:lpalmer@eqm.com]  
**Sent:** Tuesday, August 11, 2015 10:13 AM  
**To:** Raikar, Amitkumar; Lee, Barbara  
**Cc:** Ronald McManamy Jr; Betsy Kuhlenberg  
**Subject:** Provisional Satellite Phone Rate for the Gold King Mine ER, TO 9019-011  
**Importance:** High

Hi Amit,

EQM has been tasked to provide a satellite phone in support of the on-water sampling operations taking place under the Gold King Mine ER, TO 9019-011. I have attached the rate build-up sheet and details for this proposed rate.

We had previously proposed this rate to be added to the Contract in 2013, but it was not approved at the time. Therefore, we are now asking for this rate to be approved specifically for this Task Order.

Please call Ron McManamy or me at 425-673-2900 if you have any questions.

Thanks,

Laurie

Laurie Palmer  
Contract Specialist  
Environmental Quality Management, Inc.  
18939 120<sup>th</sup> Avenue NE, Suite 103  
Bothell, Washington 98011  
425-673-2900 - Phone  
425-673-7511 - Fax



**DISCLAIMER**

The information contained in this electronic message is intended only for the use of this individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are informed that any dissemination, in whole or part, is strictly prohibited. If you have received this transmission in error, please notify the sender and purge this message.